







*Nymphaeaceae.*  
*Nymphaea advena* Ait.  
~~*Nymphaea advena* Ait.~~  
 Cow Lily

Tamilton June 28. 1899.





Nymphaeaceae. Water lily L.  
~~Nuphar~~ Yellow Pond lily, Spatter Dock.

*Nymphaea advena* Ait. ~~Nuphar advena, Ait.~~

Tamilton. May 31. 91.





*Nymphaeaceae*  
*Nymphaea rubrodisca* Greene.  
~~*Nymphaea*~~ *var. minus*, Morong.

Taunton June 29. 1899.





Not very good,  
petals nearly always  
show roseate tinge.

Beehive Mt Desert Me Aug 26. 93.

*Nymphaeaceae. Water-Lily, L.*  
*Nymphaea. Water Nymph, Water-Lily.*  
*Castalia odorata* Sweet-scented Water-Lily,  
(air) Woodville & Wood.



*R. aquatilis* L, var *capillaceus* <sup>DC.</sup>

Ranunculaceae - Crowfoot.

Ranunculus

*R. aquatilis* var. <sup>Gray</sup> *trichophyllus*. Common White Water Crowfoot.

Canton May 18. '94





Ranunculaceae .

Ranunculus . Crowfoot.

R. Cymbalaria . Seaside Crowfoot.  
Pursh.

Sorrento Me . July 30 . '92 .



Ranunculaceae

Ranunculus

*R. delphinifolius* Torr. ~~*R. multifidus*~~ Yellow Water-Grass  
Pursh

June 5. 93.





York. Me.  
August 3. 1900.

Ranunculaceae.  
Ranunculus laxicaulis Darby.  
~~Ranunculus ambigua~~ Watson  
Water Plantain Spearwort.





Copy 1/95.  
Miss R. F. Ayres, Coll.

Marietta, Ga.

Ranunculaceae  
Ranunculus.  
*R. rhomboides* Goldie  
Dwarf Buttercup.





*Ranunculus acris* Crowfoot &  
*Ranunculus* Crowfoot. Buttercup.  
*R. Sceleratus* L. Cursed Crowfoot.

W. H. S. 1911  
 May 19. 1894



1. 9-11

It is important to show  
an enlarged scheme  
with its sessile stigma.

The recently distinguished  
numerous *Allygenium*  
almost identical habit  
of *Galega* but has a  
fully hooked style like  
B. Both species are common  
about Boston.



Ranunculaceae  
9 Ranunculus. Crowfoot  
*R. abortivus* L. Small-flowered Crowfoot.

No. Andover May 18. '72.





June 3. 1898.

Hort. B. M. R.

*Ranunculaceae*

*Ranunculus recurvatus*, Poir.  
Hooked Crowfoot.



Roots usually a little  
thicker

April 24 '94.

Ranunculaceae. Cowfoot 7.  
Ranunculus. Cowfoot. Buttercup.  
<sup>muss</sup>  
R. fascicularis. Early Cowfoot.





*Ranunculaceae*. *Crowfoot* F.  
*Ranunculus*. *Crowfoot*. *Buttercup*.  
*R. Pennsylvanicus*. <sup>L.f.</sup> *Bristly C.*

*Sorrento N.Y. Aug 2. 93.*



section of the bulb  
 as well shown. As I  
 think it is clothed  
 with a pander leaf

• Ranunculaceae.

Ranunculus, Crowfoot. Buttercup.

R. bulbosus. Bulbous C. or B.

Tamilton June 29 '93.



of the left is  
 deeply enough clothed,  
 it is mainly represented  
 of have happened to  
 be the a European variety  
 which is as yet poorly  
 known in America.



Ranunculaceae.

Ranunculus. Crowfoot.

R. acris<sup>L.</sup>. Tall Crowfoot or Buttercup.

Samuel J. 7. 93.



Ranunculaceae.

Ranunculus. Cowfoot.

*R. acris* <sup>L.</sup>. Tall Cowfoot or Buttercup.

Samtara July 7. '93.





♂

Ranunculaceae. Crowfoot F.  
 Thalictrum. Meadow-Rue.  
*T. dioicum* L. Early Meadow-Rue

Sept. 24.

May 5. 1894.



Ranunculaceae . Crowfoot &  
*Thalictrum* . Meadow-Rue  
*T. didicium* L. Early Meadow-Rue .

No. Andover. May 18 '92.





I am by no means  
certain of the species here.  
The characteristic view of the  
specimen should show the  
thick and drooping thallus-like  
(not clavate) filaments.

Crawford & H. N.  
July 11. 1895.

Ramunculaceae.  
*Thalicttrum revolutum* DC.  
? *T. purpurascens*, L. Purplish M. J.



Ranunculaceae.

*Thalictrum*. Meadow-Rue.

*T. polygamum*. Tall. Meadow-Rue.  
muhl.

5

So. parts Va. July, 1889.





Ranunculaceae

Anemone

*A. thalictroides*. *Rue Anemone*  
Spach.

Tam. 10. 1840.



Ranunculaceae  
*Hepatica*. Liver-leaf  
*H. triloba*, Chais.

Charlestown N.H. April 18. '92.





From near Chicago. Ill.  
April 15. 1894.

Rammenulaea. Crowfoot?  
Hepatica. Liver leaf. Hepatica.  
H. acutiloba, DC.



From Minnesota.  
April 29. 1894.

*A. patens* L., var. *Wolfgangiana* Koch.  
Ranunculaceae. Crowfoot F.  
Anemoneae. Anemone. Wind-flower.  
~~*A. patens*, var. *Michxliana*~~ Pasque-flower.  
Gray.





of very characteristic.  
 Long fruit and  
 radial leaf should also  
 be shown.

June 23. 93.

Ranunculaceae. Crowfoot?  
 Anemoneae. Wind-flower.  
*A. cylindrica*, Long-fruited *A.*  
 Gray.



Jackson N. H.  
July 3. '95.

Ranunculaceae  
Anemone  
A. virginiana. L.





Ranunculaceae. Crowfoot f.  
Anemone. Anemone. Wind-Flower  
*A. Virginiana* L.,

North Andover Sept 18. 93



Ranunculaceae.

Anemone. Wind-flower.

~~A. Pennsylvanica, L.~~

*A. Canadensis* L.


June 23. '93.



Crowfoot F. Tribe II Anemoneae.  
Anemone, Wind-Flower  
~~Anemone~~ L (Wind flower. Wood A)  
a. *quinquefolia* L.



Taunton May '90.



Crowfoot L.

*Clematis virginiana* - Bower

*C. virginiana* - Common wild V.  
L.





Ranunculaceae  
*Clematis virginiana* L.  
Common Virginian Broom.

Tamilton. Aug 21. 1905.



Ranunculaceae. Crowfoot L.  
*Caltha*. Marsh Marigold.  
*Caltha palustris*, L.

April '91. Taunton.



Ranunculaceae .  
Coptis . Goldthread .  
*C. trifolia* . Three-leaved Goldthread .  
Salisb.

No. Andover. May 18. '92.





Ranunculaceae.  
*Aquilegia*. Columbine  
*Aquilegia Canadensis*, L.

Tamilton May 27. 91.

C. 2

"Species double-flowered."



North Andover.

May 29. 1895.

Ranunculaceae  
*Aquilegia vulgaris*  
*A. vulgaris*



Ranunculaceae.

Actaea Banck. Cohosh.

~~A. spicata~~ <sup>alt.</sup> Red Panicle  
Actaea rubra Willd.

May 30. '93. No. Andover.





Ranunculaceae .

*Actea rubra* Willd. Baneberry, Cohosh.

~~*A. spicata* var. *rubra*~~ Red Baneberry  
alt.

No Andover July 17, '92.



Ranunculaceae

*Actaea*. Banberry. Cohosh.

*A. alba* <sup>var.</sup> *White Banberry*.  
(L.) Mill.

Jannton Sept 13. '92.



Pinchurst  
North Carolina  
March 30, 1898.

Ranunculaceae.  
*Zanthoxyliza* Shrub yellow-root.  
*Z. apiifolia*, L'Her.





*Magnolia virginiana* L.

Magnoliaceae.

~~*Magnolia glauca*, L.~~

Small or Laurel Magnolia.

Manchester

June 20<sup>th</sup> 1908.



Oct 1892. Milton (Cult.)

Magnoliaceae. Magnoliat.  
*Magnolia*  
~~*bellina*~~ <sup>Lam.</sup> *tripetala* L.



Magnoliaceae. Magnolia - F.  
Liriodendron - Tulip-tree  
L. Tulipifera - L.

Milton June 20 '92. (Cult.)





Magnoliaceae. Magnolia L.  
 Liriodendron. Tulip-tree.  
 L. Tulipifera, L.



*Cultivated.*

*Hingham May 16. '94.*

*Calycanthaceae. Calycanthus F.*  
*Calycanthus. Carolina Allspice Sweet Scented Shrub.*  
*C. floridus. L.*



Hort. Socy St  
May 20 . 1899.

Anonaceae. Custard Apple f.  
Asimina. No. American Papaw.  
<sup>Dunal.</sup>  
A. triloba. Common Papaw.



ms. unapud. v. 2. 199



Copy 1/95  
Miss L. F. Ayres

*Menispermaceae. Moonseed?*  
*Menispermum. Moonseed.*  
*M. Canadense, L.*



Barberidaceae Barberrry F.  
*Podophyllum* May Apple Mandrake  
*P. peltatum*, L.

May 19. 1894



May 9. 1896

New York

Berberidaceae  
*Caulophyllum*. Blue Ghost.  
*C. thalictroides*, Michx. Peppoose-root.





Berberidaceae. Barberry f.

Berberis. Barberry

Berberis vulgaris L. Common Barberry.



Taunton

June 23<sup>d</sup> 1907.

Berberidaceae.

*Berberis vulgaris* L.  
Common Barberry.



Longwood -  
Oct. 1880.

*Berberis L.*  
*Berberis. Barberry*  
*B. vulgaris. Common Barberry*





Det 13. 1900.  
Harvard Mass

Berberidaceae.  
*Berberis vulgaris*, L.  
Common Barberry.



♀



Horticultural Soc. Ex.  
May 12 1894.

Lauraceae. Laurel f.  
Sassafras variifolium  
~~S. officinale~~ <sup>Ktze</sup> ~~Presl~~



May 13. 1899-

Lauraceae. Laurel f.  
 Sassafras.  
*S. variifolium* Ktze  
~~*S. officinale*, Kunze.~~





Lauraceae Laurel L.  
*Sassafras variifolium* Ktze.  
~~*Sassafras officinale* Nees~~



enlarged.

♀.

Lauraceae. Laurel L.

*Benzoin aestivale* Kun. ~~*Lindera*~~ Wild Allspice. Fever bush

~~*L. Benzoin*~~ Spice bush. *Benjamin* bush

April 21. 1894.





Lauraceae. Laurel f.

~~Lindera~~. Wild Allspice. Fever-bush.

~~Lindera Benzoin~~. Spice-bush. Benjamine-bush.

Benzoin aestivale (L.) Nees. Jamn. Oct. 20 '91.